

ReLive Everyday, LLC

256 N. Lincoln Ave, STE 7
Lebanon, PA 17046

Sample: 2212DBL0014.5424

METRC Sample:
Lot #: 220112

Strain: N/A

Ordered: 12/05/2022; Sampled: 12/06/2022; Completed: 12/14/2022

Re-Align Level 3 - 600mg

Topical, Salve, Other



| | | | | | |
|------------|------------|------------|--------------|----------------|----------|
| | | | | | |
| Pesticides | Microbials | Mycotoxins | Heavy Metals | Foreign Matter | Solvents |

Terpenes

Analyzed by 300.13 GC/FID and GC/MS

7,373.175 mg/unit
Total Terpenes

| Compound | LOQ | Mass | Mass | Relative Concentration |
|---------------------|---------|----------|--------|------------------------|
| | mg/unit | mg/unit | mg/g | |
| δ-Limonene | 11.836 | 2000.181 | 33.392 | |
| trans-Ocimene | 11.836 | 2000.181 | 33.392 | |
| Eucalyptol | 11.836 | 1942.719 | 32.433 | |
| α-Pinene | 11.836 | 919.872 | 15.357 | |
| α-Terpinene | 11.836 | 145.647 | 2.432 | |
| β-Myrcene | 11.836 | 134.068 | 2.238 | |
| γ-Terpinene | 11.836 | 67.897 | 1.134 | |
| β-Pinene | 11.836 | 52.952 | 0.884 | |
| β-Caryophyllene | 11.836 | 42.433 | 0.708 | |
| Terpinolene | 11.836 | 33.460 | 0.559 | |
| Caryophyllene Oxide | 11.836 | 21.564 | 0.360 | |
| cis-Ocimene | 11.836 | 12.202 | 0.204 | |
| α-Bisabolol | 11.836 | <LOQ | <LOQ | |
| α-Humulene | 11.836 | <LOQ | <LOQ | |
| Camphene | 11.836 | <LOQ | <LOQ | |
| cis-Nerolidol | 11.836 | <LOQ | <LOQ | |
| δ-3-Carene | 11.836 | <LOQ | <LOQ | |
| Geraniol | 11.836 | <LOQ | <LOQ | |
| Guaiol | 11.836 | <LOQ | <LOQ | |
| Isopulegol | 11.836 | <LOQ | <LOQ | |
| Linalool | 11.836 | <LOQ | <LOQ | |
| p-Cymene | 11.836 | <LOQ | <LOQ | |
| trans-Nerolidol | 11.836 | <LOQ | <LOQ | |

Cannabinoid Relative Concentration

Analyzed by 300.18 UHPLC/PDA

<LOQ Δ9-THC + Δ8-THC

602.880 mg/unit CBD

611.725 mg/unit Total Cannabinoids

pH: NT
Aw: NT

Not Tested
Homogeneity

| Compound | LOQ | Mass | Mass | Relative Concentration |
|----------|---------|---------|--------|------------------------|
| | mg/unit | mg/unit | mg/g | |
| CBC | 2.994 | 4.354 | 0.073 | |
| CBCa | 2.994 | <LOQ | <LOQ | |
| CBD | 2.994 | 602.880 | 10.065 | |
| CBDa | 2.994 | <LOQ | <LOQ | |
| CBDV | 2.994 | <LOQ | <LOQ | |
| CBDVa | 2.994 | <LOQ | <LOQ | |
| CBG | 2.994 | <LOQ | <LOQ | |
| CBGa | 2.994 | <LOQ | <LOQ | |
| CBL | 2.994 | <LOQ | <LOQ | |
| CBN | 2.994 | 4.492 | 0.075 | |
| Δ8-THC | 2.994 | <LOQ | <LOQ | |
| Δ9-THC | 2.994 | <LOQ | <LOQ | |
| THCa | 2.994 | <LOQ | <LOQ | |
| THCV | 2.994 | <LOQ | <LOQ | |
| THCVa | 2.994 | <LOQ | <LOQ | |

1 Unit = Re-Align Level 3 - 600mg, 59.9g
Total THC = 0.877 x THC-A + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD



Glen Marquez
Laboratory Director

Sherri Defreese
Quality Control



4439 Polaris Ave
Las Vegas, NV
(702) 728-5180
www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client. This report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation. Pesticide LOQ=Instrument Limit of Quantitation. NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.



Certificate of Analysis

Powered by Confident Cannabis

ReLive Everyday, LLC

256 N. Lincoln Ave, STE 7
Lebanon, PA 17046

Sample: 2212DBL0014.5424

METRC Sample:
Lot #: 220112

Strain: N/A

Ordered: 12/05/2022; Sampled: 12/06/2022; Completed: 12/14/2022

Re-Align Level 3 - 600mg

Topical, Salve, Other



Pesticides

Analyzed by 300.9 LC/MS/MS and GC/MS/MS

Pass

| Compound | LOQ | Limit | Status |
|-------------------------|-----|-------|--------|
| | PPB | PPB | |
| Abamectin | 10 | 200 | Pass |
| Acequinocyl | 10 | 4000 | Pass |
| Bifenazate | 10 | 400 | Pass |
| Bifenthrin | 10 | 100 | Pass |
| Cyfluthrin | 10 | 2000 | Pass |
| Cypermethrin | 10 | 1000 | Pass |
| Daminozide | 10 | 800 | Pass |
| Dimethomorph | 10 | 2000 | Pass |
| Etoxazole | 10 | 400 | Pass |
| Fenhexamid | 10 | 1000 | Pass |
| Flonicamid | 10 | 1000 | Pass |
| Fludioxonil | 10 | 500 | Pass |
| Imidacloprid | 10 | 500 | Pass |
| Myclobutanil | 10 | 400 | Pass |
| Paclobutrazol | 10 | 400 | Pass |
| Piperonyl Butoxide | 10 | 3000 | Pass |
| Pyrethrins | 10 | 2000 | Pass |
| Quintozene | 10 | 800 | Pass |
| Spinetoram | 10 | 1000 | Pass |
| Spinosad | 10 | 1000 | Pass |
| Spirotetramat | 10 | 1000 | Pass |
| Thiamethoxam | 10 | 400 | Pass |
| Trifloxystrobin | 10 | 1000 | Pass |
| Plant Growth Regulators | 10 | 50 | Pass |

Microbials

Analyzed by 300.1 Plating/QPCR

Pass

| Quantitative Analysis | LOQ | Limit | Status |
|--------------------------------------|-------|-------|--------|
| | CFU/g | CFU/g | |
| Bile-Tolerant Gram-Negative Bacteria | 9 | 1000 | Pass |
| Yeast & Mold | 9 | 10000 | Pass |

| Qualitative Analysis | Status |
|----------------------|--------|
| E. Coli | Pass |
| Salmonella | Pass |

Mycotoxins

Analyzed by 300.2 Elisa

Pass

| Mycotoxin | LOQ | Limit | Status |
|--------------|-----|-------|--------|
| | PPB | PPB | |
| Aflatoxins | 4.0 | 20.0 | Pass |
| Ochratoxin A | 2.0 | 20.0 | Pass |

Heavy Metals

Analyzed by 300.8 ICP/MS

Pass

| Element | LOQ | Limit | Status |
|---------|-----|-------|--------|
| | PPB | PPB | |
| Arsenic | 85 | 2000 | Pass |
| Cadmium | 85 | 820 | Pass |
| Lead | 85 | 1200 | Pass |
| Mercury | 85 | 400 | Pass |

Residual Solvents

Analyzed by 300.13 GC/FID and GC/MS

Pass

| Compound | LOQ | Limit | Status |
|----------|-----|-------|--------|
| | PPM | PPM | |
| Butanes | 67 | 500 | Pass |
| Ethanol | 67 | 1000 | Pass |
| Heptanes | 67 | 500 | Pass |
| Propane | 67 | 500 | Pass |



Glen Marquez
Laboratory Director

Sherri Defreese
Quality Control



4439 Polaris Ave
Las Vegas, NV
(702) 728-5180
www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation, Pesticide LOQ=Instrument Limit of Quantitation, NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.